ELSEVIER

7 March 1997

Chemical Physics Letters 266 (1997) 612–620

CHEMICAL PHYSICS LETTERS

Author index to volume 266

Aartsma, T.J., see Streltsov, A.M. 266 (1997) 347
Abbate, M., see Soriano, L. 266 (1997) 184
Abou-Zied, O.K., D.R.M. Demmer, S.C. Wallace and R.P. Steer, Picosecond dynamics of the S_2 excited state of azulene and its van der Waals complexes with Ar and Xe 266 (1997) 75
Agrawal, P.M., N.K. Dabkara and S. Tilwankar, Rotational energy transfer in the NO–Ar system and the validity of the different forms of the potential 266 (1997) 481
Alekseyev, A.B., see Wright, J.S. 266 (1997) 391
Aloisi, G.G., see Holmes, A.S. 266 (1997) 309
Alvarez, M.M., J.T. Khoury, T.G. Schaaff, M. Shafigullin, I. Vezmar and R.L. Whetten, Critical sizes in the growth of Au clusters 266 (1997) 91
Alvarez-Ramirez, J., R. Martinez and E. Díaz-Herrera, Solution of the Poisson–Boltzmann equation through the use of pseudo-dynamic simulation method 266 (1997) 375
Amekraz, B., see Luna, A. 266 (1997) 31
Ameloot, M., see Molski, A. 266 (1997) 139
Anderson, H.L., see Piet, J.J. 266 (1997) 70
Andreev, D.V., see Makarshin, L.L. 266 (1997) 173
Aree, T. and S. Hannongbua, Ab initio study of collisions between Li and C_{60} 266 (1997) 427

Bach, H., A. Renn and U.P. Wild, Excitation induced frequency shifts of single molecules 266 (1997) 317
Bartlett, R.J., see Nooijen, M. 266 (1997) 456
Baskar, G. and A.B. Mandal, Molecular dynamics of methoxy polyoxyethylene macromonomer micelles in the absence and presence of SDS micelles using ^{1}H NMR spin–lattice relaxation time measurements 266 (1997) 443
Bässler, M., see Gebauer, W. 266 (1997) 177
Bawagan, A.D.O. and E.R. Davidson, The potential energy surfaces of He_2^+: implications for femtosecond spectroscopy 266 (1997) 499
Bedjanian, Y., G. Le Bras and G. Poulet, Kinetic study of the Br + IO, I + BrO and Br + I_2 reactions. Heat of formation of the BrO radical 266 (1997) 233
Beeby, A. and S. Faulkner, Luminescence from neodymium(III) in solution 266 (1997) 116
Berry, A.J., R.G. Denning and I.D. Morrison, Two-photon excitation spectroscopy of lanthanide elpasolites – implications for the correlation crystal field 266 (1997) 195
Biglino, D., see Li, H. 266 (1997) 417
Bingham, S.J., D. Suter, A. Schweiger and A.J. Thomson, Optical detection of transition metal ion electron paramagnetic resonance by coherent Raman spectroscopy 266 (1997) 543
Binnemans, K., K. Van Herck and C. Görller-Walrand, Influence of dipicolinate ligands on the spectroscopic properties of europium(III) in solution 266 (1997) 297
Birch, D.J.S., see Holmes, A.S. 266 (1997) 309
Boens, N., see Molski, A. 266 (1997) 139

Breidung, J., W. Thiel and J. Demaison, Equilibrium structure of PH_2Br 266 (1997) 515
Bressler, C.G., see Dyer, M.J. 266 (1997) 548
Brownsword, R.A., M. Hillenkamp, T. Laurent, R.K. Vatsa, H.-R. Volpp and J. Wolfrum, Quantum yield for H atom formation in the methane dissociation after photoexcitation at the Lyman-α (121.6 nm) wavelength 266 (1997) 259
Buenker, R.J., see Wright, J.S. 266 (1997) 391
Butkovskaya, N.I., A.A. Muravyov and D.W. Setser, Infrared chemiluminescence from the NO + HCO reaction: observation of the $2\nu_1-\nu_1$ hot band of HNO 266 (1997) 223

Carpenter, D.J., see Wright, J.S. 266 (1997) 391
Castellano, E., see Cobos, C.J. 266 (1997) 253
Castillejo, M., see Martin, M. 266 (1997) 111
Cencek, W. and W. Kutzelnigg, Accurate adiabatic correction for the hydrogen molecule using the Born–Handy formula 266 (1997) 383
Chen, G., see Lin, L.-R. 266 (1997) 358
Chen, M.C., see Liou, H.T. 266 (1997) 591
Cheng, X., see Qiu, F. 266 (1997) 153
Chernozatonskii, L.A., see Kukovitskii, E.F. 266 (1997) 323
Christiansen, O., J. Gauss and J.F. Stanton, Nuclear magnetic shielding constants in the CC2 model 266 (1997) 53
Clary, D.C., see Munn, N.S. 266 (1997) 437
Cobos, C.J., A.E. Croce and E. Castellano, Kinetics of the reaction of Cl atoms with FC(O)O and FC(O)OCl 266 (1997) 253
Colbert, D.T., see Nikolaev, P. 266 (1997) 422
Conwell, E.M., see Wu, M.W. 266 (1997) 363
Cooke, S.A., J.H. Holloway and A.C. Legon, The rotational spectrum and angular geometry of a pre-reactive complex of allene and chlorine monofluoride 266 (1997) 61
Copeland, R.A., see Dyer, M.J. 266 (1997) 548
Costes, M., see Naulin, C. 266 (1997) 335
Croce, A.E., see Cobos, C.J. 266 (1997) 253

Dabkara, N.K., see Agrawal, P.M. 266 (1997) 481
Davidson, E.R., see Bawagan, A.D.O. 266 (1997) 499
Della Védova, C.O., see Gobbato, K.I. 266 (1997) 527
Demaison, J., see Breidung, J. 266 (1997) 515
Demmer, D.R.M., see Abou-Zied, O.K. 266 (1997) 75
Denning, R.G., see Berry, A.J. 266 (1997) 195
Díaz-García, M.A., A. Dogariu, D.J. Hagan and E.W. Van Stryland, Nonlinear absorption of soluble octasubstituted metallophthalocyanines at 1.064 μm 266 (1997) 86
Díaz-Herrera, E., see Alvarez-Ramirez, J. 266 (1997) 375
Dirken, P.J., S.C. Kohn, M.E. Smith and E.R.H. van Eck, Complete resolution of Si–O–Si and Si–O–Al fragments in an aluminosilicate glass by ^{17}O multiple quantum magic angle spinning NMR spectroscopy 266 (1997) 568
Dobson, K.D., see Duffy, N.W. 266 (1997) 451
Dogariu, A., see Díaz-García, M.A. 266 (1997) 86
Du, X., see Lin, L.-R. 266 (1997) 358
Duffy, N.W., K.D. Dobson, K.C. Gordon, B.H. Robinson and A.J. McQuillan, In situ infrared spectroscopic analysis of the adsorption of ruthenium(II) bipyridyl dicarboxylic acid photosensitisers to TiO_2 in aqueous solutions 266 (1997) 451

Duncan, M.A., see Stangassinger, A. 266 (1997) 189
Dünser, B., see Senn, G. 266 (1997) 276
Dyer, M.J., C.G. Bressler and R.A. Copeland, Photodissociation of solid oxygen with tunable ultraviolet laser light: ozone production monitored via Fourier-transform infrared spectroscopy 266 (1997) 548

Egawa, C., S. Katayama and S. Oki, Ethylene hydrogenation on a Rh(100) surface 266 (1997) 169
Erickson, R., see Li, H. 266 (1997) 417

Faulkner, S., see Beeby, A. 266 (1997) 116
Feng, W.L., Y. Wang, S.W. Zhang and X.Y. Pang, Theoretical investigation of the mechanism and kinetics for HCO + HCN ⇄ HCHO + CN 266 (1997) 43
Fernández, A., see Soriano, L. 266 (1997) 184
Fink, R., see Gebauer, W. 266 (1997) 177
Fleming, J., see Medhurst, L.J. 266 (1997) 607
Francisco, J.S., see Good, D.A. 266 (1997) 512
Frei, H., see Kauffmann, E. 266 (1997) 554
Fuke, K., see Hashimoto, K. 266 (1997) 7

Gatt, R., see Panas, I. 266 (1997) 410
Gauss, J., see Christiansen, O. 266 (1997) 53
Gebauer, W., M. Bässler, R. Fink, M. Sokolowski and E. Umbach, New insight into the optical properties of thin organic films by epitaxial preparation 266 (1997) 177
Geng, J., T. Kobayashi and M. Takami, High Rydberg states of the NO molecule studied by two-color four-wave mixing spectroscopy 266 (1997) 290
Gobbato, K.I., S.E. Ulic, C.O. Della Védova, H.-G. Mack and H. Oberhammer, (Fluorocarbonyl)sulfenyl isocyanate, FC(O)SNCO: unusual conformational properties 266 (1997) 527
González-Elipe, A.R., see Soriano, L. 266 (1997) 184
Good, D.A. and J.S. Francisco, Heat of formation of CH_3OCH_2 radical 266 (1997) 512
Gordon, K.C., see Duffy, N.W. 266 (1997) 451
Görller-Walrand, C., see Binnemans, K. 266 (1997) 297
Gould, I.R., see Scholes, G.D. 266 (1997) 521
Graf, U., see Niikura, H. 266 (1997) 217
Grahn, W., see Werncke, W. 266 (1997) 99
Griffiths, I.W., see Jeffreys, N. 266 (1997) 537

Haase, F., J. Sauer and J. Hutter, Ab initio molecular dynamics simulation of methanol adsorbed in chabazite 266 (1997) 397
Hagan, D.J., see Díaz-García, M.A. 266 (1997) 86
Hamanoue, K., see Nakayama, T. 266 (1997) 601
Handy, N.C., see Neumann, R. 266 (1997) 16
Hannongbua, S., see Aree, T. 266 (1997) 427
Harris, F.M., see Jeffreys, N. 266 (1997) 537
Harrison, N.M., B.G. Searle and E.A. Seddon, An ab initio study of the magnetic coupling in bi-metallic Cr^{III} cyanides 266 (1997) 507
Hashimoto, K., T. Kamimoto and K. Fuke, Ab initio MO study of solvated negative alkali atom clusters: $[M(H_2O)_n]^-$ and $[M(NH_3)_n]^-$ (M = Na and Li, $n = 1–3$) 266 (1997) 7
Hedgecock, I.M., see Naulin, C. 266 (1997) 335
Hillenkamp, M., see Brownsword, R.A. 266 (1997) 259

Hirayama, S., see Niikura, H. 266 (1997) 217
Hoff, A.J., see Streltsov, A.M. 266 (1997) 347
Holloway, J.H., see Cooke, S.A. 266 (1997) 61
Holmes, A.S., D.J.S. Birch, A. Sanderson and G.G. Aloisi, Time-resolved fluorescence photophysics of trans-stilbene in a DPPC lipid bilayer: evidence for a free rotation, location within two sites and a pre-liquid crystalline phase transition 266 (1997) 309
Holroyd, R.A., K. Itoh and M. Nishikawa, Studies of $e^- + CO_2 \rightleftharpoons CO_2^-$ equilibria in hexamethyldisiloxane and bis(trimethylsilyl)methane 266 (1997) 227
House, P.G. and E. Weitz, Reactions of molecular nitrogen and triethylamine with coordinatively unsaturated iron carbonyls: spin effects on reactions 266 (1997) 239
Hu, J., see Zheng, G. 266 (1997) 533
Huang, K.L., see Liou, H.T. 266 (1997) 591
Huang, X.-Z., see Lin, L.-R. 266 (1997) 358
Huber, H., B. Kirchner, J. Solca and G. Steinebrunner, An unusual basis set superposition error in the electric field gradient of the neon dimer calculated with bond functions 266 (1997) 388
Hutter, J., see Haase, F. 266 (1997) 397

Ichimura, T., see Suzuki, T. 266 (1997) 107
Ishchenko, V.N., see Makarov, V.I. 266 (1997) 303
Itoh, K., see Holroyd, R.A. 266 (1997) 227

Jeffreys, N., I.W. Griffiths, D.E. Parry and F.M. Harris, A combined computational and experimental study of the triple ionization of carbon disulphide 266 (1997) 537
Jiang, Y.-B., see Lin, L.-R. 266 (1997) 358
Johannes, H.-H., see Werncke, W. 266 (1997) 99

Kamimoto, T., see Hashimoto, K. 266 (1997) 7
Kanayama, K., see Koga, T. 266 (1997) 123
Kaneti, J., see Siebrand, W. 266 (1997) 47
Katayama, S., see Egawa, C. 266 (1997) 169
Kauffmann, E., H. Frei and R.A. Mathies, Nanosecond time-resolved step-scan FT-IR spectroscopy of the photochemical ring-opening of 1,3-cyclohexadiene 266 (1997) 554
Kettler, M., see Vörtler, H.L. 266 (1997) 368
Khan, A., R. Khan, M.F. Khan and F. Khanam, A cluster model explaining quantitatively the anomalous variation of density of water with temperature 266 (1997) 473
Khan, M.F., see Khan, A. 266 (1997) 473
Khan, R., see Khan, A. 266 (1997) 473
Khanam, F., see Khan, A. 266 (1997) 473
Khoury, J.T., see Alvarez, M.M. 266 (1997) 91
Kirchner, B., see Huber, H. 266 (1997) 388
Kitagawa, T., see Kruglik, S.G. 266 (1997) 283
Klinowski, J., see Kolodziejski, W. 266 (1997) 597
Knight, A.M., see Stangassinger, A. 266 (1997) 189
Kobayashi, T., see Geng, J. 266 (1997) 290
Kobayashi, T., see Qiu, F. 266 (1997) 153
Kochubei, S.A., see Makarov, V.I. 266 (1997) 303
Koga, T. and K. Kanayama, Noninteger principal quantum numbers increase the efficiency of Slater-type basis sets: heavy atoms 266 (1997) 123

Kohn, S.C., see Dirken, P.J. 266 (1997) 568
Kolodziejski, W. and J. Klinowski, $^{31}P \rightarrow {}^{1}H$ cross-polarization and ^{1}H spin diffusion NMR in the large-pore gallophosphate molecular sieve cloverite 266 (1997) 597
Kotterer, M. and J.P. Maier, Electronic spectrum of C_6H: $^{2}\Pi$–$X\,^{2}\Pi$ in the gas-phase detected by cavity ringdown 266 (1997) 342
Kruglik, S.G., Y. Mizutani and T. Kitagawa, Time-resolved resonance Raman study of the primary photoprocesses of nickel(II) octaethylporphyrin in solution 266 (1997) 283
Kukovitskii, E.F., L.A. Chernozatonskii, S.G. L'vov and N.N. Mel'nik, Carbon nanotubes of polyethylene 266 (1997) 323
Kurawaki, J., Y. Sameshima and Y. Kusumoto, Conformation-dependent energy transfer for chlorophyll–copolypeptide complexes in an aqueous surfactant solution 266 (1997) 353
Kusumoto, Y., see Kurawaki, J. 266 (1997) 353
Kutzelnigg, W., see Cencek, W. 266 (1997) 383

Lau, A., see Werncke, W. 266 (1997) 99
Laufer, G. and A.S. Lee, Water assisted multi-photon ionization of N_2 by KrF lasers 266 (1997) 584
Laurent, T., see Brownsword, R.A. 266 (1997) 259
Le Bras, G., see Bedjanian, Y. 266 (1997) 233
Lee, A.S., see Laufer, G. 266 (1997) 584
Legon, A.C., see Cooke, S.A. 266 (1997) 61
Li, H., D. Biglino, R. Erickson and A. Lund, The structure of a copper(II) complex with water in Cu-ZSM-5 at 4 K by ENDOR 266 (1997) 417
Liebermann, H.-P., see Wright, J.S. 266 (1997) 391
Lin, L.-R., Y.-B. Jiang, X. Du, X.-Z. Huang and G. Chen, A study of the properties of the 1 : 1 inclusion complex of β-cyclodextrin with cetyltrimethylammonium bromide 266 (1997) 358
Lingott, R., see Wright, J.S. 266 (1997) 391
Liou, H.T., K.L. Huang and M.C. Chen, The rotationally resolved spectra and pre-dissociation of CS_2 of 210 nm band initiated from highly vibrationally excited levels 266 (1997) 591
Luna, A., B. Amekraz and J. Tortajada, A theoretical study on the complexation of sp, sp^2 and sp^3 nitrogen-containing species by Cu^+ 266 (1997) 31
Lund, A., see Li, H. 266 (1997) 417
Lundell, J., Ab initio study of the HCOOH–Ar van der Waals complex 266 (1997) 1
L'vov, S.G., see Kukovitskii, E.F. 266 (1997) 323

Machado, J.C., see Porto, A.O. 266 (1997) 329
Mack, H.-G., see Gobbato, K.I. 266 (1997) 527
Magalhães, W.F., see Porto, A.O. 266 (1997) 329
Maier, J.P., see Kotterer, M. 266 (1997) 342
Makarov, V.I., Yu.N. Molin, S.A. Kochubei and V.N. Ishchenko, Microwave field effect on the fluorescence of $(COF)_2$ excited to the 0_0^0 band of the $\tilde{A}\,^{1}A_u$ state 266 (1997) 303
Makarshin, L.L., D.V. Andreev and V.N. Parmon, 'Levitation' of paramagnetic oxygen molecules over the surface of high temperature superconductors 266 (1997) 173
Mandal, A.B., see Baskar, G. 266 (1997) 443
Märk, T.D., see Senn, G. 266 (1997) 276
Martin, M. and M. Castillejo, Vibrational and rotational dependence of the removal of CD($A\,^{2}\Delta$, $B\,^{2}\Sigma^-$ and $C\,^{2}\Sigma^+$) by H_2 266 (1997) 111
Martinez, R., see Alvarez-Ramirez, J. 266 (1997) 375
Mathies, R.A., see Kauffmann, E. 266 (1997) 554

Matsui, A.H., see Takeshima, M. 266 (1997) 135
McDowell, S.A.C., Interatomic potentials for $ArLi^+$ obtained by SCF, MP2 and density functional theory 266 (1997) 38
McQuillan, A.J., see Duffy, N.W. 266 (1997) 451
Medhurst, L.J., J. Fleming and H.H. Nelson, Reaction rate constants of $OH + CHF_3 \rightarrow$ products and $O(^3P) + CHF_3 \rightarrow OH + CF_3$ at 500–750 K 266 (1997) 607
Meier, B.H., see Verhoeven, A. 266 (1997) 465
Mel'nik, N.N., see Kukovitskii, E.F. 266 (1997) 323
Miki, S., see Nakayama, T. 266 (1997) 601
Misawa, K., see Qiu, F. 266 (1997) 153
Mizutani, Y., see Kruglik, S.G. 266 (1997) 283
Mo, Y., Ch. Ottinger and T. Winkler, Molecular beam experiments clarifying conflicting reports on magnetic field effects in NO(B) afterglows 266 (1997) 267
Molin, Yu.N., see Makarov, V.I. 266 (1997) 303
Molski, A., N. Boens and M. Ameloot, Transient effects can change identifiability criteria for complex excited-state processes 266 (1997) 139
Morrison, I.D., see Berry, A.J. 266 (1997) 195
Mota, F., see Novoa, J.J. 266 (1997) 23
Müller, T. and P.H. Vaccaro, The application of pulsed slit-jet expansion sources in sub-Doppler degenerate four-wave mixing spectroscopy 266 (1997) 575
Mullins, C.B., see Seets, D.C. 266 (1997) 431
Munn, N.S. and D.C. Clary, Subsurface effects in the dissociation of H_2 on Pd(111) 266 (1997) 437
Muravyov, A.A., see Butkovskaya, N.I. 266 (1997) 223

Nagahara, T., see Nakayama, T. 266 (1997) 601
Nakayama, T., T. Nagahara, S. Miki and K. Hamanoue, Excited-state dynamics of naphthoylnaphthvalene: valence isomerization of the lowest excited singlet state and intermolecular hydrogen-atom abstraction of the lowest excited triplet state 266 (1997) 601
Naulin, C., I.M. Hedgecock and M. Costes, The dissociation energy of TiO determined from a crossed-beam study of the $Ti + NO \rightarrow TiO + N$ reaction 266 (1997) 335
Nelson, H.H., see Medhurst, L.J. 266 (1997) 607
Neumann, R. and N.C. Handy, Higher-order gradient corrections for exchange–correlation functionals 266 (1997) 16
Niikura, H., U. Graf and S. Hirayama, Intramolecular non-radiative relaxation from the first excited singlet background manifolds of anthracene and 9,10-dichloroanthracene in partially jet-cooled states 266 (1997) 217
Nikolaev, P., A. Thess, A.G. Rinzler, D.T. Colbert and R.E. Smalley, Diameter doubling of single-wall nanotubes 266 (1997) 422
Nishikawa, M., see Holroyd, R.A. 266 (1997) 227
Nishimura, Y., see Tsuji, M. 266 (1997) 246
Nooijen, M., S.A. Perera and R.J. Bartlett, Partitioned equation-of-motion coupled cluster approach to indirect nuclear spin–spin coupling constants 266 (1997) 456
Novoa, J.J. and F. Mota, Substituent effects in intermolecular $C(sp^3)–H \cdots O(sp^3)$ contacts: how strong can a $C(sp^3)–H \cdots O(sp^3)$ hydrogen bond be? 266 (1997) 23

Oberhammer, H., see Gobbato, K.I. 266 (1997) 527
Oki, S., see Egawa, C. 266 (1997) 169
Okuyama, U., see Suzuki, T. 266 (1997) 107

Ookubo, N., see Tomonari, M. 266 (1997) 488
Ottinger, Ch., see Mo, Y. 266 (1997) 267

Panas, I. and R. Gatt, How repulsive are holes to local antiferromagnetic order in cuprates? 266 (1997) 410
Pang, X.Y., see Feng, W.L. 266 (1997) 43
Parmon, V.N., see Makarshin, L.L. 266 (1997) 173
Parry, D.E., see Jeffreys, N. 266 (1997) 537
Perera, S.A., see Nooijen, M. 266 (1997) 456
Pfeiffer, M., see Werncke, W. 266 (1997) 99
Phillips, D., see Scholes, G.D. 266 (1997) 521
Phillips, L.F., Velocity and angular distributions of molecules emitted from a liquid surface 266 (1997) 161
Piet, J.J., J.M. Warman and H.L. Anderson, Photo-induced charge separation on conjugated porphyrin chains 266 (1997) 70
Porto, A.O., W.F. Magalhães and J.C. Machado, Inhibition of positronium formation and its quenching reactions in binary solid solutions and mixtures of metal tris-2,2,6,6-tetramethyl-3,5-heptanedionate (dpm) complexes 266 (1997) 329
Poulet, G., see Bedjanian, Y. 266 (1997) 233

Qian, X., see Wang, D. 266 (1997) 560
Qiu, F., X. Cheng, K. Misawa and T. Kobayashi, Multiple reflection correction in the determination of the complex electro-optic constant using a Mach-Zehnder interferometer 266 (1997) 153

Renn, A., see Bach, H. 266 (1997) 317
Rinzler, A.G., see Nikolaev, P. 266 (1997) 422
Robinson, B.H., see Duffy, N.W. 266 (1997) 451
Rossi, G., see Soriano, L. 266 (1997) 184
Ruth, A.A. and M.T. Wick, The $S_0 \rightarrow S_4$ transition of jet-cooled fluoranthene: vibronic coupling of S_4 with S_3 266 (1997) 206

Sameshima, Y., see Kurawaki, J. 266 (1997) 353
Sanderson, A., see Holmes, A.S. 266 (1997) 309
Sanz, J.M., see Soriano, L. 266 (1997) 184
Sauer, J., see Haase, F. 266 (1997) 397
Schaaff, T.G., see Alvarez, M.M. 266 (1997) 91
Scheier, P., see Senn, G. 266 (1997) 276
Schiedt, J. and R. Weinkauf, Photodetachment photoelectron spectroscopy of mass selected anions: anthracene and the anthracene–H_2O cluster 266 (1997) 201
Scholes, G.D., D. Phillips and I.R. Gould, Low-lying excited states of 4-dimethylaminobenzonitrile: equilibrium geometries, vibrational frequencies and charge transfer character 266 (1997) 521
Schweiger, A., see Bingham, S.J. 266 (1997) 543
Searle, B.G., see Harrison, N.M. 266 (1997) 507
Seddon, E.A., see Harrison, N.M. 266 (1997) 507
Seets, D.C., M.C. Wheeler and C.B. Mullins, Mechanism of the dissociative chemisorption of methane over Ir(110): trapping-mediated or direct? 266 (1997) 431
Senn, G., B. Dünser, P. Scheier and T.D. Märk, Unimolecular dissociation of multiply-charged fullerene ions via the loss of intact C_6^+ units 266 (1997) 276
Sesé, L.M., Quantum computation of the static structure factor of deuterium gas 266 (1997) 130

Setser, D.W., see Butkovskaya, N.I. 266 (1997) 223
Shafigullin, M., see Alvarez, M.M. 266 (1997) 91
Shen, L., see Zheng, G. 266 (1997) 533
Shuvalov, V.A., see Streltsov, A.M. 266 (1997) 347
Siebrand, W., M.Z. Zgierski, Z.K. Smedarchina, M. Vener and J. Kaneti, The structure of phenol–ammonia clusters before and after proton transfer. A theoretical investigation 266 (1997) 47
Sirotti, F., see Soriano, L. 266 (1997) 184
Smalley, R.E., see Nikolaev, P. 266 (1997) 422
Smedarchina, Z.K., see Siebrand, W. 266 (1997) 47
Smith, M.E., see Dirken, P.J. 266 (1997) 568
Sokolowski, M., see Gebauer, W. 266 (1997) 177
Solca, J., see Huber, H. 266 (1997) 388
Soriano, L., M. Abbate, A. Fernández, A.R. González-Elipe, F. Sirotti, G. Rossi and J.M. Sanz, Thermal annealing of defects in highly defective NiO nanoparticles studied by X-ray and electron spectroscopies 266 (1997) 184
Stangassinger, A., A.M. Knight and M.A. Duncan, Photoionization spectroscopy of NaAg 266 (1997) 189
Stanton, J.F., see Christiansen, O. 266 (1997) 53
Steer, R.P., see Abou-Zied, O.K. 266 (1997) 75
Steinebrunner, G., see Huber, H. 266 (1997) 388
Streltsov, A.M., T.J. Aartsma, A.J. Hoff and V.A. Shuvalov, Oscillations within the B_L absorption band of *Rhodobacter sphaeroides* reaction centers upon 30 femtosecond excitation at 865 nm 266 (1997) 347
Sultan, R.F., The structural variety of chemical spike-electric field interactions 266 (1997) 145
Suter, D., see Bingham, S.J. 266 (1997) 543
Suzuki, T., U. Okuyama and T. Ichimura, Direct determination of reaction heat in intramolecular hydrogen abstraction of excited 2-methylbenzophenone 266 (1997) 107

Takada, T., see Tomonari, M. 266 (1997) 488
Takami, M., see Geng, J. 266 (1997) 290
Takeshima, M. and A.H. Matsui, Frenkel exciton states in microcrystallites 266 (1997) 135
Tanaka, M., see Tsuji, M. 266 (1997) 246
Thess, A., see Nikolaev, P. 266 (1997) 422
Thiel, W., see Breidung, J. 266 (1997) 515
Thomson, A.J., see Bingham, S.J. 266 (1997) 543
Tilwankar, S., see Agrawal, P.M. 266 (1997) 481
Tomonari, M., N. Ookubo and T. Takada, Molecular hyperpolarizability components β_{zzz} and β_{zxx} under directional extensions of π conjugation: missing-orbital analysis and simplified sum-over-states calculations 266 (1997) 488
Tortajada, J., see Luna, A. 266 (1997) 31
Tsuji, M., M. Tanaka and Y. Nishimura, The $B\,1/2 \rightarrow X\,1/2$ and $C_2\,1/2 \rightarrow A_2\,1/2$ transitions of $ArKr^+$ produced from argon afterglow reactions of Kr 266 (1997) 246

Ulic, S.E., see Gobbato, K.I. 266 (1997) 527
Umbach, E., see Gebauer, W. 266 (1997) 177

Vaccaro, P.H., see Müller, T. 266 (1997) 575
Van Eck, E.R.H., see Dirken, P.J. 266 (1997) 568
Van Herck, K., see Binnemans, K. 266 (1997) 297

Van Stryland, E.W., see Díaz-García, M.A. 266 (1997) 86
Van Zee, R.J. and W. Weltner Jr., Quenching of the orbitally-degenerate nickel, palladium, and platinum cations (d^9, $^2D_{5/2}$) in rare-gas matrices: ESR evidence 266 (1997) 403
Vatsa, R.K., see Brownsword, R.A. 266 (1997) 259
Vener, M., see Siebrand, W. 266 (1997) 47
Verel, R., see Verhoeven, A. 266 (1997) 465
Verhoeven, A., R. Verel and B.H. Meier, J cross polarization in magic-angle-spinning NMR 266 (1997) 465
Vezmar, I., see Alvarez, M.M. 266 (1997) 91
Volpp, H.-R., see Brownsword, R.A. 266 (1997) 259
Vörtler, H.L. and M. Kettler, Monte Carlo simulation of pore systems: primitive model of water in slit-like pores 266 (1997) 368

Wallace, S.C., see Abou-Zied, O.K. 266 (1997) 75
Wang, D., X. Qian and Q. Zhang, The isonitrile–nitrile isomerization: kinetic parameters, reaction mechanism and relative photoionization cross-section of the HOMO. A HeI photoelectron spectroscopy study 266 (1997) 560
Wang, Y., see Feng, W.L. 266 (1997) 43
Warman, J.M., see Piet, J.J. 266 (1997) 70
Webb, G.A., see Zheng, G. 266 (1997) 533
Weinkauf, R., see Schiedt, J. 266 (1997) 201
Weitz, E., see House, P.G. 266 (1997) 239
Weltner Jr., W., see Van Zee, R.J. 266 (1997) 403
Werncke, W., M. Pfeiffer, A. Lau, W. Grahn and H.-H. Johannes, Third-order hyperpolarizabilities of a homologous series of meso-nitrogen substituted thiacyanines 266 (1997) 99
Wheeler, M.C., see Seets, D.C. 266 (1997) 431
Whetten, R.L., see Alvarez, M.M. 266 (1997) 91
Wick, M.T., see Ruth, A.A. 266 (1997) 206
Wild, U.P., see Bach, H. 266 (1997) 317
Winkler, T., see Mo, Y. 266 (1997) 267
Wolfrum, J., see Brownsword, R.A. 266 (1997) 259
Wright, J.S., D.J. Carpenter, A.B. Alekseyev, H.-P. Liebermann, R. Lingott and R.J. Buenker, Thermodynamically stable diatomic dications: potential curves and radiative lifetimes for $CaCl^{2+}$ including relativistic effects 266 (1997) 391
Wu, M.W. and E.M. Conwell, Transport in α-sexithiophene films 266 (1997) 363

Ye, C., see Zheng, G. 266 (1997) 533

Zgierski, M.Z., see Siebrand, W. 266 (1997) 47
Zhang, Q., see Wang, D. 266 (1997) 560
Zhang, S.W., see Feng, W.L. 266 (1997) 43
Zhang, X., see Zheng, G. 266 (1997) 533
Zheng, G., J. Hu, X. Zhang, L. Shen, C. Ye and G.A. Webb, Quantum chemical calculation and experimental measurement of the ^{13}C chemical shift tensors of vanillin and 3,4-dimethoxybenzaldehyde 266 (1997) 533